

BID NUMBER: 2017-01

BID TITLE: PURCHASE OF TWO (2)

2018 Harley-Davidson FLHP Road King Solo Law Enforcement Motorcycles

DATE OF BID OPENING: TUESDAY, SEPTEMBER 19, 2017

BID MUST BE RECEIVED BY 5:00 P.M. ON MONDAY, SEPTEMBER 18, 2017

ATTENTION

ATTENTION

ATTENTION

ATTENTION

This bid may not be acceptable without completing the following information. For your protection, please review your bid package to insure that all required information and forms are included as indicated below. If any pages are missing notify us immediately. Use this cover page as a checklist to insure that you have received and completed all required items related to this bid.

THE FOLLOWING ITEMS/FORMS ARE ATTACHED IN SEQUENCE:

- | | | |
|----|--|------------|
| | | Completed: |
| 1. | <input checked="" type="checkbox"/> Bid Form | () |
| 2. | <input checked="" type="checkbox"/> Non-Collusive Bidding Certification | () |
| 3. | <input checked="" type="checkbox"/> Corporate Resolution (If Required) | () |
| 4. | <input checked="" type="checkbox"/> Evaluation of Bids | () |
| 5. | <input checked="" type="checkbox"/> Scope and General Requirements | () |
| 6. | <input checked="" type="checkbox"/> Exceptions, Variations or Clarifications | () |
| 7. | <input checked="" type="checkbox"/> Specifications | () |
| 8. | <input type="checkbox"/> Terms of Sale | () |

THE FOLLOWING ITEMS/FORMS ARE **REQUIRED** IF CHECKED:

- | | | |
|-----|--|------------|
| | | Completed: |
| 9. | <input type="checkbox"/> Warranty and Service Requirements | () |
| 10. | <input type="checkbox"/> Manufacturer's Service Requirements | () |
| 11. | <input type="checkbox"/> Local Service and Support Requirements | () |
| 12. | <input type="checkbox"/> Performance Bond | () |
| 13. | <input type="checkbox"/> Security Bond or Bid Bond | () |
| 14. | <input type="checkbox"/> Waiver of Liability and/or Transfer Agreement | () |
| 15. | <input type="checkbox"/> Insurance Requirements | () |
| 16. | <input type="checkbox"/> OTHER: _____ | () |

TOTAL NUMBER OF PAGES: 12

**DO NOT SEPARATE OR REMOVE ANY PAGES FROM THIS BID PACKAGE. DOING SO
MAY RENDER YOUR BID INVALID.
PLEASE RETURN THIS CHECKLIST/COVER PAGE WITH YOUR BID.**

1. BID FORM

BIDS NOT SUBMITTED ON THIS FORM WILL BE
CONSIDERED INFORMAL AND MAY NOT BE ACCEPTED

The undersigned residing at or, if a company, having a principal place of business at:

Name of Company/Individual: _____

Address: _____

City: _____ State: _____ Zip: _____

Telephone: _____

and being experienced and responsible for the performance of same, propose to furnish (or if applicable, purchase) the following according to the specifications hereto annexed:

For the sum total of (in words): _____

(In Figures):\$ _____

It is understood that the attached bid specifications, including all instructions and conditions contained herein, shall be considered part of a contract if an award is made, and by submission of this bid, the Bidder (signed below) agrees to abide by these specifications in their entirety.

Signature (if company, Corporate Officer): _____

Type or Print Name: _____

Title: _____ Date: _____

NOTE: NON-COLLUSIVE STATEMENT MUST BE SIGNED AND ATTACHED.

2. NON-COLLUSIVE BIDDING CERTIFICATION

By submission of this bid the Bidder certifies that:

- A. This bid has been independently arrived at without collusion with any other bidder, or with any competitor, or potential competitor.
- B. This bid has not been knowingly disclosed prior to the opening of bids for this project to any other bidder, competitor, or potential competitor.
- C. No attempt has been or will be made to induce any other person, partnership, or corporation to submit or fail to submit a bid.
- D. The person signing this bid certifies that he has fully informed him/herself regarding the accuracy of the statements contained in this certification and under penalties of perjury, being applicable to the bidder as well as the person signing its behalf.

If bidder is a corporation:

- E. The attached hereto (if a corporate bidder) is a certified copy of a resolution authorizing the execution of this certificate by the signer of this bid on behalf of the corporate bidder.

Signature: _____

Title (if corporation): _____

Date: _____

3. CORPORATE RESOLUTION (IF REQUIRED)

Resolved: That _____ is authorized to sign and submit the bid of this corporation for the following project:

**PURCHASE OF TWO (2)
2018 Harley-Davidson FLHP Road King Solo Law Enforcement Motorcycles**

and to include in such bid the certificate as to non-collusion required by section one hundred three-D of the General Municipal Law as the act and deed of such corporation and for any inaccuracies or mis-statements in such certificate this corporate bidder shall be liable for under penalties of perjury.

The foregoing is a true and correct copy of the resolution adopted by _____ at a meeting of its Board of Directors held on the _____ day of _____, 20__.

Seal of Corporation here:

Signature: _____

Title: _____

Date: _____

4. EVALUATION OF BIDS

Bids received shall be evaluated by the purchaser to include the following criteria:

- 1) Completeness of the proposal, i.e., the degree to which it responds to all requirements of these specifications.
- 2) Vendor's demonstrated specifications and capabilities including ability to perform warranty work.
- 3) Design and engineering reliability factors of major structural components, including ease of maintenance of major components.
- 4) Qualifications and capabilities of the manufacturer to produce a described product.
- 5) Reasonableness of cost.
- 6) Manufacturing and delivery schedule of the equipment.
- 7) Planning documentation addressing: design and engineering data, drawings and schematic layouts, logistical support, training, operation and maintenance.
- 8) Number and degrees of exceptions taken to specifications.
- 9) Life cycle cost.
- 10) Financial worthiness of Manufacturer.

The District reserves the right to waive any informality in bids received when such waiver is in the best interest of the District; also to except any item in the bid, unless otherwise specified by the District or Bidder.

The competency and responsibility of Bidders will be considered in making the award. The purchaser reserves the right to reject the bid of a Bidder who, in the judgment of the purchaser is not in a position to perform the Contract. The District reserves the right to reject any and all bids.

A statement of financial condition and/or Dunn and Bradstreet rating may be required by the purchaser prior to any award of contract. The past and present financial condition of the Bidder will be seriously considered during bid evaluation.

The Bidder shall disclose any current or pending litigation alleging its failure to deliver or comply with any contract.

5. SCOPE AND GENERAL REQUIREMENTS

Each bid must give the full business address of the Bidder. Such address must be in full compliance with all building codes and be of proper zoning. Bids by a partnership must furnish the full name of all the partners and must be signed by the partners. Bids by a corporation must be followed by the name of the State of Incorporation; and by the signature and designation of the President, Vice President or Secretary. The name of each person signing shall also be typed or printed below the signature. The person who affixes a signature of "President", "Vice President" or "Secretary" must be a duly authorized officer as designated by Board of Directors. Affixed to all corporate bids shall be a resolution of the Board of Directors authorizing the submission of the bid.

All bids must be in the same sequence as these specifications for ease of comparison. Any bid not in this sequence may be disregarded and rejected.

Failure to comply with all conditions mentioned under "Instructions to Bidders", or the failure to conform to the specifications, will be reasonable cause for the rejection of any bid. Any bid not in accordance with the "Instructions to Bidders" or containing bids or options not asked for, or not containing all statements contained on the said bid form, may be rejected.

Bids shall be enclosed in a sealed envelope endorsed on the outside of the envelope **"BID 2017-01: PURCHASE OF TWO (2)2018 Harley-Davidson FLHP Road King Solo Law Enforcement Motorcycles"** pursuant to specifications provided with the name of the Bidder noted thereon, and shall be delivered at the time and place stated in the Invitation to Bidders.

Bids may be withdrawn by certified mail or in person from Bidders prior to the time fixed for opening. Negligence on the part of the Bidder in preparing the bid confers no right for the withdrawal of the bid after it has been opened. No Bidder may withdraw his bid after the time set for the opening thereof.

The District's specifications, along with the Manufacturer's Specifications, and any forms, questionnaires and listed exceptions, shall be submitted as part of the Bidder's entire bid proposal.

In no case shall a Bidder photocopy purchaser's specifications and submit as their proposal specifications and bid. Each Bidder may be required to provide in their bid a "complete and accurate description" of their own detailed product and engineering specifications.

In addition, all Bidders are required to submit these specifications in their proposal, noting items where the Bidder's proposal differs and consecutively number each item. The number shall correspond with the Bidder's exception, variation or clarification page which must be attached to their proposal.

All specifications herein contained are considered as minimum. No exceptions to these minimum standards shall be allowed relating to overall design and materials.

5. SCOPE AND GENERAL REQUIREMENTS (Continued)

If any Bidder has questions in connection with these specifications, please contact **Assistant Chief Jeffrey Morris at 516-883-0500**, extension **336**. Nothing contained in these specifications shall be construed as creating any contractual relationship between any vendor and the District. The successful Bidder shall be fully responsible to the District for the acts and omissions of the bid.

Each Bidder shall not rely on representations, statements or explanations other than those contained herein or in official issued addenda. No interpretations of the meaning of the specification are to be made to any Bidder orally.

It is the Bidder's responsibility to see that his proposal arrives on time. Late proposals, fax, telegrams or telephone bids will not be accepted.

The Bidder shall be in compliance with all federal, state and local laws, ordinances, codes, rules and regulations. Ignorance on the part of the Bidder shall in no way relieve successful Bidder from that responsibility.

On a service contract the contract period will be from **N/A** and **N/A**. The District reserves the right to extend the contract for up to three (3) months. If the winning vendor defaults during the contract period by not abiding by the terms of the agreement, for any reason, the contract will default to the next qualified Bidder for the remainder of the contract period.

Before awarding the bid, the Purchaser reserves the right to require a Bidder to submit such evidence of his qualifications, as it may deem necessary. Documentation that may be required is financial, technical, experience and other qualifications and abilities of a Bidder (including past performance with the Purchase in making the award in the best interest of the Purchaser).

*The Port Washington Police District is unable to inform bid results individually.
Following a bid opening, the results will be posted at Police District Headquarters,
500 Port Washington Boulevard, Port Washington, New York.
Only the Successful Bidder will be notified of bid results.*

6. EXCEPTIONS, VARIATIONS OR CLARIFICATIONS

These specifications are based upon design and performance criteria, which have been developed by the purchaser as a result of extensive research and careful analysis of the data. Subsequently, these specifications reflect only the type of equipment that is acceptable at this time. Therefore, major exceptions to specifications will not be accepted. Items have been specified by brand name or model number. These have been carefully selected because of their reliability, availability of replacement locally and or department standardization. No exceptions will be allowed on brand items specifically called for. Certain exceptions (not relating to brand name or model number) may be accepted if they are minor, equal or superior to that which is specified.

The Purchaser will not consider any proposals which require advance payments for any portion prior to the completion and final acceptance.

In case of any doubt or difference of opinion as to the items to be furnished herein, the decision of the District shall prevail. All matters relating to the validity, interpretation and performance of the obligations imposed on the parties pursuant to this bid will be governed by the laws of the State of New York.

All bid prices shall be based upon a completed operational basis. The total price must include all items listed in these specifications. Listing any items contained in this specification as an extra cost will automatically be cause for rejection, unless separate listing is specifically requested.

If non-compliance is indicated, a number must be inserted in that column which relates to the explanation on the page(s) entitled "Exceptions", located at the end of these specifications.

Any exception or clarification to these specifications shall be noted on an individual sheet of paper referencing the section number and the exception or clarification offered. Any exception shall be clearly defined with details as to the proposed alternative referencing manufacturing and model where appropriate. A general exception cannot be taken for any paragraph. A full word-for-word WRITTEN COMPARISON must be included within the bid for any exception listed. Each exception will be considered by their degree of impact and total effect on their bid. Proposals taking total exception to the bid specifications shall not be considered by the Purchaser. The Purchaser shall determine which (if any) exceptions are acceptable and this determination shall be final.

7. BID SPECIFICATIONS

BID NUMBER: 2017-01

BID TITLE: PURCHASE OF TWO (2)

2018 Harley-Davidson FLHP Road King Solo Law Enforcement Motorcycles

SPECIFICATIONS

All proposed FLHP motorcycles to be in full compliance as follows:

A. Engine

Piston displacement of not less than 1746cc Milwaukee-Eight™ 107 cubic inch, pushrod-operated, overhead valves with hydraulic, self-adjusting lifters, four valves per cylinder and featuring EITMS (Engine Idle Temperature Management System), producing minimal vibration frequencies and magnitudes. Engine and transmission isolated from motorcycle frame utilizing a rubber mounting system.

- Powertrain deluxe chrome group designed for low maintenance; black powder coat finish on engine; chrome rocker boxes, timer cover, outer primary housing & transmission covers.
- Compression ratio: 10.0:1
- Electronic Sequential Port Fuel Injection System (ESPFI)
- Single Cam design
- Hydraulic Lifters requiring no maintenance service adjustments
- Air and Oil cooled
- Fan-assisted oil cooler

B. Clutch / Transmission

- Clutch shall be of the latest assist and slip nine (9) plate design, wet.
- Hydraulically Actuated Clutch system
- Transmission to be of latest design, manual type, with not less than six (6) forward speeds.
- Clutch disengage for starter motor operation
- Primary Drive, double-row chain, 34/46 ratio.
- Greaseless shifter shaft with “anti-vibration” rubber spacers.
- Gear Ratios:

1st	9.593
2nd	.650
3rd	4.938
4th	4.000
5th	3.407
6th	2.875

C. Brakes

- Reflex™ Linked Braking with ABS, linking disengages below 25 mph
- Hydraulic Disc brakes for both front and rear wheels
- Front brakes having dual 11.81-inch diameter floating discs
- Rear brake having a single disc.
- Brakes shall be relatively free of heat fade
- Calipers-4 Piston
- Uniform Expanding Rear Rotor

D. Suspension

Motorcycles shall be provided with a suspension system to permit optimum handling conditions as required in law enforcement.

- Front suspension uses Showa® Dual Bending Valve (SDBV™) technology and gives you 117 mm of travel; improved damping performance over the range of suspension travel
- Hand-adjustable emulsion rear shocks provide 15-30% more preload adjustment and adjust with the turn of a single knob, no tools required; improved damping performance over the range of suspension travel
- 49 mm telescopic front forks.
- Rear suspension swing arm bearings shall require no lubrication for life of the motorcycle.

E. Wheels / Tires

- Black Impeller™ Cast Aluminum wheels, rim material to be impermeable to compressed air.
- Tubeless type tires to have non-skid tread, designed to operate on paved highways and shall have a full, four-ply fabric reinforcement.
- Bead-retention tires designed to remain on wheel during sudden loss of pressure.
- Sealed automotive style wheel bearings requiring no endplay adjustment and service interval of 100,000 miles (160,000 km).

F. Fuel Tank

- Fuel tank to have a capacity of 6 U.S. gallons (22.71 liters). Must provide a minimum of 1 gallon (3.8 L) reserve fuel capacity when main supply is exhausted.
- Electric fuel pump.

G. Electrical System

Electrical system shall be nominal 12-volt as follows:

- Battery. Sealed, heavy-duty maintenance-free, 12-volt, minimum rated capacity – 28 ampere hours (Battery Council International rating), 270 cold cranking amps.
- Ignition. Non-waste spark, alpha control.
- Charging System. Three-phase, 48-amp high output alternator producing 28 amps at idle, solid state regulator.
- Connectors. Industrial grade throughout, provided with electrical accessory connection.
- Hand Controls. Water-resistant, integrated switches.
- Starting System. 12-volt starter, solenoid operated engagement, relay required.
- Horn. Sound level audible above motorcycle and traffic-generated noise.

H. Lighting

Each motorcycle shall be provided with the following lighting equipment:

- Dual Halogen Headlight
- Front Emergency Lamps PAR-36, one red and one blue (incandescent).
- Tail light.
- Turn Signals, self-canceling system.
- Flashers, four-way, with independent switch.
- License plate lighting with two blue marker lamps.

I. Visual Displays

- Speedometer. Analog & Digital speedometer, range 0-120mph (or kph equivalent),
- (2) re-settable trip meters.

- Speed Capture with Digital Speed Display
- Gear Indicator
- Odometer. Calibrated, cumulative.
- Tachometer. Analog.
- Fuel level gauge.
- Emergency Light Activation Indicators, separate indicators for front and rear emergency lights.
- Stealth Mode indicator-if activated
- Cruise Control indicator
- Sight glass on brake master cylinders.
- Fuel Mileage countdown till empty displayed in odometer window when Low fuel indicator lamp is lit.
- Turn Signal Indicators
- Hazard-Warning Lights Indicator
- Neutral Indicator
- High beam Indicator
- Low Oil pressure Indicator
- Engine diagnostic light
- ABS indicator lamp

J. Feature Requirements

- Seat. Deluxe solo saddle, special police type, breathable material covering, adjustable coil over spring suspension system.
- Cruise Control-OE standard
- Stealth Mode-optional activation
- Push to Talk Switch-requires other police radio equipment not supplied by H-D
- Power ON for emergency equipment for 30 minutes with ignition OFF
- Analog and Digital Speed Display with Speed Capture feature
- Gear Indicator
- Side Stand. Jiffy stand with electronic disengage to prevent drive off with jiffy stand deployed.
- Foot Boards. pivoting type with non-skid rubber pads.
- Guards. Front engine guard bar and rear saddlebag guard bars.
- Saddlebags. Factory installed, law enforcement type Injection Molded GTX saddlebags, approximately 2000 cubic inches of storage space per bag, water-resistant, utilizing one touch operation latches.
- Final belt drive, with a rubber isolated 68 tooth rear drive sprocket.
- Chrome, two into one into two exhaust system
- Windshield. Constructed of clear polycarbonate, designed to break away with minimal force.
- Mirrors. Two (2) long stem true image mirrors.
- Key. One key fits all locks.
- Wheelbase. 64 inches (1625 mm).
- Laden Seat Height. 27.3 inches (695 mm)
- Gross Vehicle Weight Rating. 1360 lbs. (617 kg.)
- Dry Weight. 805 lbs. (365 kg.)
- Running Order. 840 lbs. (381 kg.)
- Service Intervals. 1st 1000 miles and then every 5000 miles thereafter.
- Warranty. 24 months, unlimited mileage.

PORT WASHINGTON POLICE DISTRICT
ADDITIONAL SPECIFICATIONS per Motorcycle

2018 FLHP - Windshield – Road King Model Code 1FHC1H-DOM

Color – 049 Houston:

1. 26800121 Cool Flow Fan Kit
2. 57200151 MY17 Right Side Mid Frame Deflector Kit
3. 68000123A Aux Brake Light/Running Light/Turn Sig Conversion Kit
4. 69000057 Emergency Response Kit (siren package)
5. 0200561 Saddlebag Guard Rails – FL Police
6. 5610034 Heated Handgrips / Rubber

Whelen Emergency Lights and Mounting Brackets:

7. 2EJ00ZCR 4” Extd. Sync Super-LED RB/C (Front Emergency Lights)
8. M05MB Road King LINZ6J (Windshield Light Array RBRBR)
9. RBKTHD1 TIR3 Side Fork Mounting Bracket (2)
10. LINZ6J LED Horizontal Sync Red/Blue (Side Facing Fork) (2)
11. 12MJ Surface Mount DUO ION Red/ Blue (2)
12. IONHD1L Under Radio Box Mount Kit (left) (1)
13. IONHD1R Under Radio Box Mount Kit (right) (1)
14. M2B Whelen License Plate Lights 1(Blue) 1(Red) (2 total)
15. M2KTHD1 Whelen License Plate Light Mounting Bracket

- Installation and powering of police radio communications equipment.

Radio programming and equipment to be provided by authorized Police District Vendor.